



# Rockwool Fireseal® Party Wall Sealer

Refer to product table below for applicable product codes covered by this document

Issue B, 9/2023

### **Product Type & Application**

Bradford Fireseal® Party Wall Sealers are non-combustible, plain (unfaced) Rockwool insulation. These products are primarily intended to meet the requirements for inter-tenancy walls in multi residential applications in Risk Group SH buildings only.

### Compliance with the New Zealand Building Code

When correctly specified and installed, this product meets or contributes to compliance with the following performance requirements of the building code:

- B2 Durability B2.3.1(a) rockwool insulation has a wellestablished history of use in service.
- C3 Fire affecting areas beyond the fire source C3.5, C3.7 - Bradford Fireseal® Party Wall Sealers are noncombustible and contribute to preventing fire spread between tenancies in multi-unit residential buildings.
- F2 Hazardous building materials F2.3.1 Bradford Fireseal® Party Wall Sealers do not emit or give rise to harmful concentrations of gas, liquid, radiation or solid particles.

#### **Limitations of Use**

- **IMPORTANT:** Do Not Modify This Product: Compliance with the evidence of suitability data referenced in this document is only achieved by the product or configuration listed in this PTS.
- This product is not suitable for use as an exposed internal wall or ceiling lining in applications which require a Group Number in accordance with C3.4(a).
- Unfaced Rockwool is not a water or vapour barrier and is not suitable for water or vapour control.
- AS/NZS 1530.4 test report 2802001 by Warringtonfire demonstrates the anticipated non-structural FRL in the systems nominated in the test report. The suitability of this product for the specific system requirements in an application must be confirmed by the relevant project certifier, fire engineer or other principal certification authority.

### Conditions of Storage, Use & Maintenance

 Store in the original packaging in a cool, dry area, away from foodstuffs. Ensure packages are adequately labelled, protected from physical damage, and sealed when not in use. Avoid packaging being stored under UV light (direct sunlight) for long periods.

Refer to the product SUIS/MSDS at Bradfordinsulation.com.au for more information.

### **Specific Design or Installation Instructions**

- Isolate power before installation.
- Caution: Electrical cables and equipment partially or completely surrounded with bulk thermal insulation may overheat and fail. In new build construction with electrical wiring in accordance with AS/NZS 3000: 2018 or later, wiring may be partially or completely surrounded for up to 400mm. If more than 400mm is surrounded, or for wiring pre AS/NZS 3000:2018, seek advice from a licenced electrician. Refer to legislation and referenced standards for full details or seek advice from an electrician if in doubt.
- Suitable for applications that specify non-combustible bulk insulation products - not suitable for exposed internal wall and ceiling lining applications that require a Group Number.
- Fireseal® Party Wall Sealer must be installed in the horizontal openings with at least 10% compression against adjoining members – for example use a 50mm thick product for a 45mm opening.
- Penetrations through the Fireseal® Party Wall Sealer are not permitted.
- Where Anticon roofing blanket has been installed underneath a metal roof, the insulation blanket must be peeled back so that the Fireseal® Party Wall Sealer can be installed over the foil only.
- All roof Fireseal® Party Wall Sealer applications should be installed as a single width of product across the entire width of the party wall.
- Insulation should be installed so that it forms a continuous layer and abuts or overlaps adjoining insulation other than at supporting members such as columns, studs, noggings, joists, furring channels and the like where the insulation must butt against the member.
- Suitable for interior applications where the product is protected from direct UV light, water and wind pressure during and after installation.

For general installation guidance refer to the product installation guide at Bradfordinsulation.co.nz

**Supplementary information -** Additional installation guidance for this product can be found in AS3999.

This Product Technical Statement is published in accordance with the Building Act 2004 Section 14g. It relates to this product when it is produced at a CSR approved facility in accordance with CSR Specifications and approved materials, is unmodified, and installed in accordance with the technical data, plans, specifications, and advice prescribed by the manufacturer. It relates to the provisions of the building code in effect at the date of issue of this Product Technical Statement.





## Rockwool Fireseal® Party Wall Sealer

### **Basis of Compliance**

- Professional Assessment, AS 1530.1 -
  - Warringtonfire Assessment FAS210056.
- Testing and Professional Assessment, AS/NZS 1530.4 -
  - Warringtonfire Report No. 2802001. Please see Limitations of Use for details.
  - Warringtonfire Report FAS200041.
- C/AS2 Acceptable Solution for Buildings other than Risk Group SH for New Zealand Building Code Clauses C1-C6 Protection from Fire First edition (Amendment 2), 5 November 2020
- Bradford Safe Use Information Sheet FBS-1 Rockwool Insulation Products Issued 15 January 2021.

### **Applicable Product Codes**

THICKNESS (mm)	NOMINAL LENGTH [m]	NOMINAL WIDTH [mm]	PIECES PER PACK	LINEAL METRES PER PACK [m]	PRODUCT CODE
50	4	300	2	8	123443
75	4	300	2	8	123444
50	4	360	2	8	132796
75	4	360	2	8	132797

### **Additional Product Data**

PROPERTY	STANDARD	RESULT	
Density		50 kg/m <sup>3</sup>	
Fire Hazard Properties	When assessed in accordance with AS/NZS 1530.3	• Ignitability: 0 • Spread of flame: 0 • Heat Evolved: 0 • Smoke Developed: 1	
Non-Combustibility	When assessed to AS 1530.1	Non - Combustible	

### Other Accreditation

**FBS-1 Rockwool -** The fibre component of these products is listed by Safe Work Australia as Man-made Vitreous Fibre (Rockwool) of low bio persistence as specified under Note Q in the Australian Hazardous Substances Information System and in the Australian Approved Criteria documentation. In accordance with EU ATP 31 (2009) these fibres are not classified as an irritant, or as carcinogenic.

Refer to the product SUIS/MSDS at Bradfordinsulation.com.au for more information.

Bradford NZ, 14 The Furlong, Takanini, Auckland For further technical advice call 0800 277 123/ visit bradfordinsulation.co.nz/ email bradford@csr.co.nz Bradford NZ is a business division of CSR Building Products (NZ) Limited (NZBN 9429040750194)

CSR Bradford is a business division of CSR Building Products Limited (ABN 55 008 831 356)

The contents of this brochure are copyright protected and may not be reproduced in any form without prior written consent of CSR Bradford. Recommendations and advice regarding the use of the products described in this brochure are to be taken as a guide only, and are given without liability on the part of the company or its employees. We reserve the right to change product specifications without prior notification. Please refer to the CSR Bradford website for the latest revision of this document. The purchaser should independently determine the suitability of the product for the intended use and application.

